argo

Set Up Your Company of Agents

Building the road to one-person billion-dollar companies.

github.com/konrad/argo
the repository

myargoquest.com
the app



Contents

01 Developments of agents: timeline — slides 3-7

02 Why it is better to own your own agent setup — slides 8-14

03 Argo second brain project in one page — slides 15-17

04 What the system is — slides 18-39

05 Setting it up — slides 40-43

06 Caution — slides 44-45

Agent timeline: late 2022

Oct 2022	**ReAct**: Reason, Act, Observe. Think about the task, choose a tool, act, read the outcome, adapt. The blueprint for today's agent frameworks.
Nov 2022	**ChatGPT**: text generation. Prompt, response, prompt.

2023

14 Mar 2023	**GPT-4**: enough reasoning for an autonomous loop.
28 Mar 2023	**BabyAGI**, Yohei Nakajima: about 140 lines. Execute a task, create the next ones, re-prioritise the list.
30 Mar 2023	**AutoGPT**, Toran Bruce Richards: GPT-4 with browsing, files and code execution. Past 100,000 stars in weeks.

2024

Late 2023	**LangChain** and **AutoGen**: several specialised agents pass work along, a writer and a tester.
Late 2023	**Code Interpreter**: OpenAI gives the model a sandboxed Python environment.
Mar 2024	**Devin**, Cognition: an autonomous software engineer.
Jul to Oct 2024	**ElizaOS**, then ai16z: an agent framework with personalities and plugins.
Nov 2024	**MCP**: an open standard for connecting agents to tools and data.

2025

24 Feb 2025	**Claude Code**: a limited research preview with Claude 3.7 Sonnet.
Apr to May 2025	**Codex CLI** (16 Apr), the **OpenAI Codex** cloud agent (16 May), Claude Code generally available (22 May).
Oct 2025	**Claude Code Skills**: agents write their own code, less context rot
Nov 2025	**OpenClaw** MIT, past 100,000 stars in two months.
Through 2025	**Reasoning-first models**: o1 and DeepSeek R1 add an internal thinking step.

2026

1 Jan 2026	**Gas Town**, Steve Yegge: an orchestrator for 20-30 coding agents.
4 Mar 2026	**Paperclip**: an open-source org chart, budgets and approval cards for a team of agents.
6 Mar 2026	**AutoResearch**, Karpathy: an agent edits one file, trains for five minutes, keeps the change only if the metric improves.

Own the data and the stack

LAYER	WHERE IT LIVES	WHAT YOU CAN DO WITH IT
Notes	Markdown in a git repo you own	Edit in any editor. Delete the app and the notes stay
Records	PostgreSQL, your own database	Query, dump, restore
Vectors	`pgvector` in the same database	Rebuild from the markdown; the index is disposable
Secrets	`.env` in the vault, gitignored	Never indexed: the scanner skips `.env*`, `*.pem`, `*.key`
Rules and engine	A rules file, the MIT engine as a submodule	Diffable and versioned

Switch harnesses without changing the vault

The rules are a file, `AGENTS.md`. The board is SQL. Any harness that reads a file and calls a CLI joins the same board and the same guard.

Harness	How it joins
Claude Code	`CLAUDE.md` imports `AGENTS.md`; hooks in `.claude/settings.json`
Hermes	A profile of the same name, same rules and skills
Codex	The same `AGENTS.md`, the guard through an adapter
zen-agent	The engine's runtime: personas from the roster, budgets, traces

Switch providers without changing the harness

WHAT	OPTIONS	NOTE
Embeddings	Together AI, or Ollama locally	With Ollama, nothing leaves the machine
Chat over your notes	Anthropic, OpenAI, Together, OpenRouter, Ollama	The RAG module
A bot's model	Claude models, or `provider/model` for `zen-agent`	Set per bot, in the roster
A model that is down	The dispatcher falls back to the host's fallback model	One less way for a run to die

Track what every run costs


- **One row per finished run:** tokens by bot, the reason it woke, the card, the project, the host.
- **Plan percentages and credit balances** on the same page.
- **Caps are counts:** `wakes_per_day`, `cooldown_minutes`, `bot_wakes_per_target_per_day`, plus a daily token budget.
- **Every session as steps,** with one summary row: asked, done, learned, left open.
- **Every machine that runs agents** feeds the same ledger.

Recursive self-improvement: skills, the org, the prompts

WHAT IMPROVES	HOW	WHERE IT LANDS
Skills	A repeated prompt becomes a `SKILL.md`: trigger, procedure, check	`.agents/skills/<name>/`
The org	One file describes the company; `plan` diffs it, `apply` writes it	`.agents/org.json` or `org/config/`
A bot's prompt	An identity file in the repo; permissions are rows	`.claude/agents/<name>.md`


- **The loop that closes it:** shared memory, a guard before every tool call, a dev-log gate before the run ends. - **The published form of the idea** is AutoResearch: one file, one metric, keep or revert.

AI is the new UI



- **CLI to GUI to AI:** from 1960's the terminal, then the GUI, and now voice first AI, skills replace apps.
- **Vitalik at OKX NOW, Singapore, 6 Oct 2026:** AI becomes the new UI. A local agent wrote a script to update his ENS hash in about five minutes. The same post lists the new risks: prompt injection, AI safety, agents misreading an onchain action.
- **The bottleneck is prompting and attention,** not compute.
- **OpenClaw was an example** one person can build new agent harnesses that compete with big tech companies.

Why agents got good since late 2025



- **The agentic loop:** reason, act, observe, adapt, with tools that work.
- **Minimal harnesses:** an agent gets a shell and writes the code the job needs.
- **Skills and context engineering:** a skill is code written once for a repeated job. A short `AGENTS.md` and fewer MCP servers beat a crowded window.
- **Agents live in the CLI,** so they need no GUI.
- **The models:** Claude Opus 4.5, 24 Nov 2025.

Karpathy's napkin math: about 6 billion people have barely touched an LLM, 1 to 2 billion use one casually, some 20 million build with agents.

Argo in one page: what it is for

What it is	A company of agents that live in your knowledge base: notes, projects, an app that searches and maps them.
Two halves, one repo	A knowledge base you own, and an orchestrator that works inside it.
The bet	Memory and judgment are moving outside your head. This is the engine for the case where they belong to you.
No account, no sync server, no telemetry	You run it, on a laptop or a small server.

Argo in one page: how it fits together

Two repos	The engine is public and MIT. Your vault is private, added as a submodule at `.secondbrain/` and pinned to one commit.
Why the split	Updating is moving a pin. The engine never sees your notes.
Markdown is the source	PARA as a convention: Projects, Areas, Research, Archives.
Postgres is a disposable index	`scan` parses the vault, `embed` chunks it. Drop it and rescan. Credential files are never indexed.
Agents live in the vault	Claude Code, Hermes, zen-agent or your own, bound by the shared rules.

Argo in one page: the key features

Knowledge base	Keyword, semantic and hybrid search; wikilinks and backlinks; an editor with an optimistic lock; a database page that answers plain-language questions as read-only SQL; a 3D map.
Agents under rules	One rulebook, a guard before every tool call, a dev-log gate, shared `SKILL.md` skills, a read-only fact-checker subagent.
A company of agents, off by default	`MODULES=projects,board,org,usage,summaries`: a tracker with verifications, a kanban board, named agents on a message board, a ledger.
Infrastructure	One launcher; `deploy.sh` adaptable to launch on multiple servers or machines.


The system on one page

```
your notes (markdown, git) ◄── you, Obsidian, any editor
     │
     ├── .secondbrain/ the public engine, a git submodule:
     │   app, hooks, shared skills, templates
     │
     ├── the app ── Postgres: an index over the notes
     │   (keyword + vector), the editor, the pages,
     │   and the company tables: projects, cards, org,
     │   memory, usage
     │
     └── agents ── Claude Code, Hermes, Codex, zen-agent or your own,
             in the vault, one rulebook (AGENTS.md),
             a guard before every tool call,
             woken by you, a card or a schedule,
             reporting on the board
```


PART 4 · WHAT THE SYSTEM IS

The vault: markdown in a git repo

- **PARA is a convention:** `Projects/`, `Areas/`, `Research/`, `Archives/`. The app indexes every markdown file.
- `secondbrain-vault init` writes the folders, the rules files, `CLAUDE.md`, the Claude settings, `.agents/skills/`, the guard file, a starter roster, and a `.gitignore` that excludes `.env`.
- **The engine is a submodule,** pinned to a commit.
- **The vault is the memory:** the same markdown the human writes is what the agents read.



The app: one index over everything




- **Three search modes:** `keyword`, `semantic`, `hybrid`. Agents use the same API.
- **A chat that answers from your notes with citations,** plus an editor, backlinks and a 3D map.
- **A page per feature:** `/projects`, `/board`, `/org`, `/usage`, `/memory`, `/database`.
- **The scanner skips credential files,** so `.env` is never indexed or served.

The rules and the guard

`AGENTS.local.md`	Your rules. `secondbrain-vault rules` rebuilds `AGENTS.md` from the shared base plus this
`.agents/skills/<name>/`	One repeatable job per `SKILL.md`: a trigger, a procedure, the output, the check
`.agents/guard.local.json`	Protected directories, paths that must never be deleted, read-only files


The guard runs before every tool call. It blocks reading `.env`, `git push --force`, `rsync --delete` without a dry run, and anything in your local rules. The dev-log gate sends an agent back once when it changes skills, scripts or config without a record.

The board: a card is one task for one agent




- **Nine statuses:** `triage`, `todo`, `scheduled`, `ready`, `running`, `review`, `blocked`, `done`, `archived`. A blocked card carries a kind and a reason.
- **Every write goes through a SQL function,** so the rules are the same from the CLI, the page or the API.
- **Claims, leases, dependencies and per-device tokens,** hashed at rest. Hermes, a Claude Code dispatcher and `zen-agent` are lanes over one board.

The tracker: a feature goes live after a passing check



- **Stages:** `idea`, `designing`, `building`, `testing`, `live`, `parked`, `done`.
- **Verifications are recorded:** `projects verify <feature> --pass --check "npm test" --evidence "112 passed"`.
- A feature reaches `live` or `done` only after a passing verification.
- `projects render` writes the report into the vault as markdown.

The org: a roster, teams and channels



- **One document describes the company:** agents, teams, reporting lines, what each may do, which messages wake it. `plan` shows the diff, `apply` writes it.
- **Rules the import enforces:** every agent except the CEO has a role, a team and a manager; each team gets `#<team>` and `#<team>-standup`.
- **Capabilities are rows** (`code`, `review`, `merge`, `deploy`, `web`), checked by the wrappers that push, merge and deploy.
- **Removing an agent retires it,** so its messages keep their author.

PART 4 · WHAT THE SYSTEM IS


Wakes and the dispatcher

- **An agent runs only when a wakeup row exists:** you DM it, mention it in a handoff, assign it a card, post in its team channel, or a routine comes due.
- **The dispatcher** coalesces what one agent has waiting into one run and applies the caps: wakes per day, cooldown, parallelism, quiet hours, a token budget.
- **A run is one short session,** resuming the agent's own history. Before it ends it posts one `status` with evidence: a path, a command, a card id.
- **If it posts nothing,** the fallback posts a status saying the run ended without a report.



PART 4 · WHAT THE SYSTEM IS


Usage: what every run costs



When	Who	Woken by	Card	Project	Work	Tokens	Output	Cost	Turns	MinVerify
Nov 5, 2026, 15:53 GMT+5:30 zen-agent	vega	owner			research					0.1
Nov 5, 2026, 13:04 GMT+5:30 zen-agent	dax	task	t_ba3347dd	argo-second-brain/engine-core-v2	coding	2.1M	30.6k	$0.0000	40	1.8
Nov 5, 2026, 13:01 GMT+5:30 zen-agent	dax	task	t_d2797080	argo-second-brain/engine-core-v2	coding	1.9M	24.8k	$0.0000	40	1.7
Nov 5, 2026, 13:01 GMT+5:30 zen-agent	orin	owner			coding	999.9k	9749	$0.0000	30	1.2
Nov 5, 2026, 02:32 GMT+5:30 zen-agent	kiran	task	t_74d0b59d	argo-newsroom/education-section	research	1.3M	23.3k	$0.0000	40	1.5
Nov 5, 2026, 02:32 GMT+5:30 zen-agent	vega	owner			research	1.4M	12.0k	$0.0000	29	22.8
Nov 5, 2026, 01:24 GMT+5:30 zen-agent	rune	task	t_ee252c12		coding	65.8k	1323	$0.0000	9	30.3
Nov 5, 2026, 01:24 GMT+5:30 zen-agent	atlas	dm			coding	4995	3272			
Nov 5, 2026, 01:20 GMT+5:30 zen-agent	rune	task	t_6d834f7d		coding	199.7k	3768	$0.0000	14	4.0
Nov 5, 2026, 01:16 GMT+5:30 zen-agent	rune	task	t_9feed03c		coding	230.4k	2131	$0.0000	20	3.4
Nov 5, 2026, 01:16 GMT+5:30 zen-agent	atlas	dm			coding	21.9k	4557	$0.0000	3	1.8
Nov 5, 2026, 01:12 GMT+5:30 zen-agent	rune	task	t_c5189079		coding	417.3k	8354	$0.0000	20	4.4
Nov 5, 2026, 01:10 GMT+5:30 zen-agent	rune	task	t_d0fed369		coding	253.4k	2144	$0.0000	20	1.6
Nov 5, 2026, 01:07 GMT+5:30 zen-agent	rune	task	t_a4928b63		coding	425.7k	2877	$0.0000	20	2.7
Nov 5, 2026, 01:05 GMT+5:30 zen-agent	rune	task	t_a7b8a5eb		coding					0.1
Nov 5, 2026, 01:03 GMT+5:30 zen-agent	rune	task	t_ab023506		coding					0.1
Nov 5, 2026, 01:01 GMT+5:30 zen-agent	rune	task	t_ed35b75a		coding					0.1
Nov 5, 2026, 00:59 GMT+5:30 zen-agent	rune	task	t_968423d0		coding					0.8
Nov 5, 2026, 00:57 GMT+5:30 zen-agent	rune	task	t_6616e0b1		coding					1.0
Nov 5, 2026, 00:57 GMT+5:30 zen-agent	atlas	task	t_a89e2d93		coding					0.8
Nov 5, 2026, 00:57 GMT+5:30 zen-agent	lena	task	t_a5b26ef5		writing					0.8
Nov 5, 2026, 00:54 GMT+5:30 zen-agent	rune	task	t_14f6f662		coding					0.1
Nov 5, 2026, 00:54 GMT+5:30 zen-agent	lena	task	t_8cab145d		writing					0.1
Nov 5, 2026, 00:54 GMT+5:30 zen-agent	atlas	task	t_f8200b70		coding					0.1
Nov 5, 2026, 00:52 GMT+5:30 zen-agent	rune	task	t_a9cdc1bd		coding					0.1
Nov 5, 2026, 00:52 GMT+5:30 zen-agent	lena	task	t_d25ccc8b		writing					0.1

One row per headless run: who, woken by what, which card, tokens, turns, cost.

Memory and summaries



- **Shared facts:** one sourced claim per row, written by any agent as itself, readable by all, retired with a reason rather than deleted.
- `recall` **merges three arms** into one labelled list: facts, the vault, the agents' memory files.
- **Summaries:** every finished session gets one row: asked, done, learned, left open.
- **Episodes:** a finished wake records an outcome, turns and cost.

PART 4 · WHAT THE SYSTEM IS


Shipping behind your approval

- **A ship request is a row:** the agent files it with a summary and a pull-request link, and it waits.
- **Only a message authored by the owner carries authority.** `secondbrain org ship approve <id>` releases it.
- `--ship-now` **on a card** skips the gate for that one card.
- **Nothing merges or deploys without you.** The wrappers that push, merge and deploy check the capability row first.

PART 4 · WHAT THE SYSTEM IS

The daily loop: stand-up, replies, Telegram

- **Each lead has a routine:** it wakes early, reads its channel and the tracker, and posts one `standup`.
- **Your brief is one read:** `org read --all --no-mark --kinds standup,question-for-owner --since 24h`, plus `summarize --digest 24` and `projects report`.
- **Replying** to a lead or a question wakes that agent. `ask-owner --urgent` reaches your phone, capped per day.
- **Telegram in one command:** `secondbrain telegram add --agent claude-code --name claude --allow <your user id>`.




How I use it, day to day

Media agency	Send a topic, team writes the blog post, and the media kit (LinkedIn, YouTube, the Instagram reel)
Skills on the fly	Ask an agent over Telegram to write a new skill on the server, then use it in the next message
Building and designing apps	Apps and design work, from a brief to a shipped build
An agentic fund manager	Testing one with small amounts of money
Quantified Self	Sleep, personal finance, health, exercise and workouts, in the same vault
Hardware and printing	Hardware projects and the parts inventory; design files for the 3D printer

PART 4 · WHAT THE SYSTEM IS

One server

- **Everything so far runs on a laptop** and stops when it sleeps. A server runs the dispatcher, the timers and the Telegram bots behind a login.
- **Deploy is one script:** `.secondbrain/app/deploy/deploy.sh` installs Node, Postgres with `pgvector` and Caddy, creates the app user and the restricted `sb_org` role, and one timer per module.
- **The login is set on your laptop:** `secondbrain auth-setup` prints a password hash and a TOTP secret.
- **One database, several machines:** point a laptop at the server over Tailscale with `DATABASE_URL`. Only the server scans and embeds.



Keeping it running: the engine, the roster, the agents

Upgrade the engine	Check out the new pin, `rules`, `link-skills`, commit, deploy. The next start runs the migrations
Change the roster	Edit the org document, commit, `org plan`, `apply`. `--prune` retires a dropped agent and drains it first
Quiet an agent	`org pause <bot> --reason "..."`, then `resume`. No file edit, no redeploy
Change a model for a day	`org set <bot> --model ... --runtime ...`; `--clear` returns it to the file

Keeping it running: cost, backups, privacy, health

See what it costs	`/usage`, by bot and by day
Back it up	`DEPLOY_DB_BACKUP=1` installs a nightly `pg_dump` timer. The vault is git: push it
Keep it private	Agents read only their `knowledge` paths; personal folders are denied in every identity file
Know what is wrong	`secondbrain doctor` (`--deep` adds server checks), plus `status`, `logs`, `systemctl --failed`

Key Features

Vault, app, search	Markdown, git, keyword, semantic and hybrid search, the editor, the guard, the dev-log gate
`projects` `board` `org` `usage`	Core features, one manifest each
`summaries`	Its own module
Memory	`recall`, `remember`, `list`, `retire`, `propose`, `stats`, and a `/memory` page
Telegram	`telegram add`, `status`, `allow`, `remove`

Source: `docs/onboarding/00-from-zero.md`.

Key Features: the org, the dispatcher, the commands, the addons


The org document	`org.json` written by `init`, plus `plan` and `apply`; `org compile` from YAML. Still to come: routing output and card graphs.
Dispatcher	The engine's, for `zen-agent` bots; your own loop for Claude Code and Hermes. Still to come: dispatch tiers and budgets stay a pilot addon.
CLI commands	`init`, `start`, `doctor`, `plan`, `apply`, `upgrade`, with `.env` and `secondbrain.json`. Still to come: one command that creates the vault and starts the app.
Addons	Map, TV, voice, livestream, ring, social, uploads, garden, agents hub: `addons/`, off by default

The content pipeline: one text in




- **The input is a message:** a link to a paper, a model release, a framework, or one of our own releases, sent to the agent's Telegram. A screenshot does the job when there is no link.
- **It reads the source and drafts the post,** with the counter-arguments and the sources at the foot.
- **Then it cuts the same post into five formats,** one per channel.
- **Approval stays with the human:** the daily build-log draft comes back to Telegram and waits.

The content pipeline: the post and its cuts



THE BLOG: MYARGOQUEST.COM/BLOG




INSTAGRAM REEL: @MYARGOQUESTCOMMUNITY




YOUTUBE SHORT

The long-form post is the source; the reel and the Short are cut from it and cite it.

The content pipeline: the social pair



X: THE POST WITH ITS LINK CARD



LINKEDIN: THE INFOGRAPHIC VERSION

Each channel posts through its own skill; the card carries the link back to the post.

PART 4 · WHAT THE SYSTEM IS

Argo TV: the brief, rendered



The overnight run on a screen in the room. The TV addon renders it.

Your agent runs the setup

Hand your agent the skill: `skills/setup-vault/SKILL.md`. It ships in the engine, so Claude Code, Hermes, Codex and Cursor run the same one. Point the agent at an empty folder and say "set this up".

- **Four questions in one batch:** where the vault should live; which operating system; semantic search now, later or never; which harness comes afterwards.
- **Then it does the steps, checking after each one:** install what is missing, create the vault, run the app, build the index, write your rules, hand off to the harness.
- **It reports what it did not do:** no module enabled, no harness connected, no server set up.

Setup 1: the five steps

Install what is missing	`curl -fsSL https://kon-rad.github.io/argo/install.sh | sh`. Check: it reports what it installed.
Create the vault	`git init`, add the engine as a submodule, `secondbrain-vault init .`. Check: `git status` is clean.
Run the app, build the index	Start it, then `secondbrain scan`. Check: search finds a word from a note.
Write your rules, a skill, the guard	Five lines of rules are enough. Check: `rules` rebuilds `AGENTS.md`.
Connect the harness	`cd my-vault && claude`, or Hermes, Codex, Cursor. Check: ask it to read `.env`.

Setup 2: the result

A private vault	Markdown in a git repository you own. The engine is a pinned submodule
The app on your machine	`http://127.0.0.1:5123`: one search box over every note, the editor, backlinks, the map, a page per feature
Agents under the rules	The same `AGENTS.md`, the same skills folder, a guard before every tool call
Not yet, on purpose	No company module, no server, no timers

Check: open the app, search a word, then ask the harness to read `.env`.

Setup 3: using it daily

Morning	Read the brief: the leads' stand-ups, the questions waiting on you, the tracker report
During the day	Text the bot: a link, a thought, a task. It files the note or opens a card
Content	One message becomes the blog post, the reel, the Short, the X post and the LinkedIn post
Evening	Nothing: the vault is pushed as git and the nightly `pg_dump` runs on the server. Check: `doctor`.

Caution: what can go wrong

Agents leak secrets	Anything an agent can reach, it can read, copy or send. The guard checks the text of tool calls: a guardrail, not a sandbox.
Skills from the internet	A downloaded skill is instruction from a stranger. Read it before you load it.
Someone else's repository	Cloning a project and letting an agent build inside it is how prompt injection and hostile build scripts reach your machine.
Giving an agent your computer	Screen control plus a shell plus your home directory is an agent with your privileges. Grant the least the task needs.
Files get deleted	Anything you would miss belongs in git, or out of reach.

Use a sandboxed server, a VM, or a machine dedicated to agent work. It is not private if you use a hosted model: what you send to a provider leaves your machine.

The repository, and the documents

- **Repository:** github.com/kon-rad/argo, MIT. **Documentation:** kon-rad.github.io/argo
- `docs/onboarding/00-from-zero.md`: fourteen stages from prerequisites to a running company
- `skills/setup-vault/SKILL.md`: the fast path, four questions and seven steps
- `speaker-notes.md` and `sandbox-demo-steps.md`: this talk, and a throwaway instance

github.com/kon-rad/argo
the repository

myargoquest.com
the app